



4WD CARGO SLIDING PANTRY

USER MANUAL



PLU: 635837
CODE: CP01
Manufactured and packaged for
SRGS PTY LTD
ABN 23 113 230 050
6 Coulthards Avenue
Strathpine QLD 4500, Australia
MADE IN CHINA





PLU: 635837

+ Specification



+ General Information

Overall size:
650/830mm (L) x 663mm (H) x 194mm (W)
Net Weight: 25kg



+ Mounting Kit

- 6 X M6 washers
- 6 X M6 Tee nuts
- 6 X M6 X 20mm bolts
- 6 x M6 Nyloc nuts



+ Install pre-work

- Sliding pantry needs to be installed on a flat even surface with a minimum of 12 mm thickness. You will require the use of an electric drill to install the slide.
- Side panel can be mounted in left or right side configuration. Ensure panel mounted to desired side prior to installation.



- + Open the slide by pressing down on the lever on the right, then pull slide forward to reveal the fixing holes in the side rails.



- + Drill six 7mm holes for the Tee Nuts.



- + Gently flatten the Tee Nuts with a mallet or hammer.



- + Mark six drilling points through any of the 8 fixing holes in the side rails with a permanent marker.



- + Insert the Tee Nuts into the holes ensuring the nuts are upright and square to the hole.



- + Position the slide on the flat surface. Use the 6 x M6 bolts to fix to the surface and secure with both the washers and Nyloc nuts provided. Some surfaces may require longer or shorter bolts.



+ Important Notes

- The sliding pantry must be securely and evenly bolted down to the floor of the vehicle or to wherever the slide is to be used.
- Under no circumstances can the sliding pantry be used other than when it is fixed down correctly on a smooth even surface with no contortion of the frame.
- The sliding pantry is activated by depressing the right hand side lever on the front to pull forward and lock in.
- Heavy pushing without pressing the lever will result in damage to the lever and pantry.
- Ensure that the sliding is firmly locked into place when returning the sliding to its inward position.
- 3 Built in shelves with total 70kg weight capacity. This pantry is not suitable for commercial use and must not exceed the total recommended weight capacity.

WARNING

Regularly check the nuts and bolts to ensure the pantry remains secure.



WARRANTY

Our product is guaranteed to be free from quality and manufacturing defects for a period of 12 months.

If your product becomes defective during this period, SRGS PTY LTD will offer you either a replacement, credit or refund where a product is faulty; wrongly described; different from the sample shown to you or do not do what they are supposed to do.

This warranty will not cover substantially modified product; misuse or abuse of the product contrary to user instructions or packaging label; change of mind and normal wear and tear.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and failure does not amount to a major failure.

To claim the warranty, take the product to the front Service Desk of your nearest store of purchase. You will need to show receipt or other proof of purchase. Additional information may be required to process your claim. Should you not be able to provide proof of purchase with a receipt or bank statement, identification showing name, address and signature may be required to process your claim.

Any expenses relating to the return of your product to the store will normally have to be paid by you. For online store purchases, SRGS PTY LTD will pay for the return freight for any product assessed as having a major failure.

The benefits to the customer given by this warranty are in addition to other rights and remedies of the Australian Consumer Law in relation to the goods or services to which this warranty relates.

This warranty is provided by SRGS PTY LTD, 6 Coulthards Avenue, Strathpine, QLD 4500, Australia. Phone: 1300 175 010.