



The Steering Experts



‘Highest quality steering systems and components  
for the most challenging applications’



## EXPERIENCE THE PRECISION OF MAXTEK MARINE HYDRAULIC STEERING

Boats fitted with high-horsepower engines require steering systems with enough muscle to provide finger tip control at the helm. maXtek Marine steering systems are the perfect match for boats used for both pleasure and commercial applications.

maXtek Marine hydraulic steering only use the highest quality components from helm pumps and cylinders to hoses and couplings. Simply put, lower maintenance, longer working life and trust, in choosing the ultimate choice for your vessel.



# MAXTEK MARINE OUTBOARD SYSTEM

Part: ST150H-18



- For engines 150hp and under
- Standard wheel turns: 5.6 lock to lock
- Double sheathed flexible nylon hose

ST150H-18

Kit includes

Components	Description
STNSH018	Front mount helm pump 18cc
ST3016-1	Front mount XP outboard cylinder
STNH04-SS-14	Hydraulic hose 1/4", 1 x 15 metre
SFOIL	Hydraulic oil 1 litre x 2 bottles, ISO VG 15
ST-OAK	Oil bleeding kit
STCOU1/4	2 x Reusable couplings to fit 1/4" hose

Application

Guide

System Model	Applicable Outboard Motors
ST150H-18	Yamaha 4 stroke: From 75hp to 150hp Yamaha 2 stroke: 50hp, 60hp and from 100hp to 150hp Suzuki 4 stroke: From 70hp to 150hp Honda 4 stroke: From BF 50 to BF 150 except old BF 115A / old BF 130A Mercury: From 50hp to 150hp except old 4 stroke (1732cc) from 75hp and 115hp Tohatsu 4 stroke: From BFT70 to BFT150 except old BFT115A / old BFT130A Tohatsu 2 stroke: Up to 140hp Evinrude: From 65hp to 150hp
STC3520815 Adapter Plate	Yamaha 4 stroke: From 30hp to 70hp / Yamaha 2 stroke: From 50hp to 95hp



# MAXTEK MARINE OUTBOARD SYSTEM

Part: ST350H-25



- For engines under 350hp
- Standard wheel turns: 5.3 lock to lock
- Double sheathed flexible nylon hose

	Components	Description
ST350H-25	STNSH025	Front mount helm pump 25cc
Kit includes	ST3520H-R1	Front mount XP outboard cylinder
	STNSH06-15	Hydraulic hose 3/8", 1 x 15 metre
	SFOIL	Hydraulic oil 1 litre x 2 bottles, ISO VG 15
	ST-OAK	Oil bleeding kit
	STCOU3/8	2 x Reusable couplings to fit 3/8" hose

	System Model	Applicable Outboard Motors
Application Guide	ST350H-25	Yamaha 4 stroke: From 75hp to 350hp Yamaha 2 stroke: 50hp, 60hp and from 100hp to 250hp Suzuki 4 stroke: From 70hp to 300hp Honda 4 stroke: From BF 50 to BF 250 except old BF 115A / old BF 130A Mercury: From 50hp to 250hp except old 4 stroke (1732cc) from 75hp and 115hp Tohatsu 4 stroke: From BFT70 to BFT250 except old BFT115A / old BFT130A Tohatsu 2 stroke: Up to 140hp Evinrude: From 65hp to 300hp
	STC3520815 Adapter Plate	Yamaha 4 stroke: From 30hp to 70hp / Yamaha 2 stroke: From 50hp to 95hp

